### For more information and technical assistance contact;

PTT Global Chemical Public Company Limited

555/1, Energy Complex, Building A, 18<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Chatuchak, Bangkok 10900 TEL+66-2265-8400 Fax +66-2265-8500

บริษัท พีทีที โกลบอล เคมิคอล จำกัด (มหาชน)

บารท พทท เกเมอส เพมพอส ฯ เกษ (มหายน) 555/1 ศูนย์เอนเนอร์ต่อมเพล็กซ์ อาคารเอ ซัน 18 ถนนวิภาวดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โพร+66-2265-8400 โพรสาร +66-2265-8500



# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**PRODUCT NAME:** InnoPlus HD8200B

**CHEMICAL NAME:** High Density Polyethylene

TYPICAL APPLICATION: InnoPlus HD8200B is recommended for producing large blow molding

drums, hazardous chemical drums

MANUFACTURER: PTT Global Chemical Public Company Limited

14 Map Ta Phut Industrial Estate, I-1 Rd., Map Ta Phut, Muang Rayong District, Rayong 21150, Thailand 8 Map Ta Phut Industrial Estate, I-10 Rd., Map Ta Phut, Muang Rayong District, Rayong 21150, Thailand

**24-HOUR EMERGENCY:** Thailand; +66(0)-3897-5412

**CONTACT** +66(0)-3897-6905

### 2. HAZARDS IDENTIFICATION

### **CLASSIFICATION OF THE SUBSTANCE OR MIXTURE**

• Classification according to Globally Harmonized System (GHS):

The substance is not classified as hazardous according to GHS.

• Classification according to Regulation (EC) No 1272/2008 (CLP):

The substance is not classified as hazardous according to the CLP regulation.

• Classification according to Directive 67/548/EEC or Directive 1999/45/EC:

The substance is not classified as hazardous according to Directive 67/548/EEC or Directive 1999/45/EC.

### **LABEL ELEMENTS**

Labelling according to GHS:
 Labelling according to Regulation (EC) No 1272/2008:
 Hazard pictograms:
 Signal word:
 Hazard statements:

None

• Precautionary statements :

Prevention:
Response:
Not Applicable
Storage:
Not Applicable
Disposal:
Not Applicable
Not Applicable

### • Additional information:

Pellets on the floor may cause a serious slipping hazard.

Skin or eye contact with hot polymer can cause thermal burns.

Processing the polymer at high temperatures may form vapors that irritate the eyes and respiratory tract.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

Revision: Feb 2024 Page 1

### For more information and technical assistance contact:

PTT Global Chemical Public Company Limited

555/1, Energy Complex, Building A, 18<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Chatuchak, Bangkok 10900 TEL+66-2265-8400 Fax +66-2265-8500

บริษัท พีทีที โกลบอล เคมิคอล จำกัด (มหาชน) 555/1 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคารเอ ชั้น 1 โทร+66-2265-8400 โทรสาร +66-2265-8500 ถนนวิภาวดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900



### **OTHER HAZARDS**

- Results of PBT and vPvB assessment
  - PBT: Not determined
  - vPvB: Not determined

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS no.	Weight %
Polyethylene	9002-88-4	>99
Additives	-	<1.0

### 4. FIRST AID MEASURES

### **INHALATION**

Remove to fresh air. If patient is not breathing or breathing irregular, provide artificial respiration or oxygen. Obtain medical attention by physician if symptoms persist.

### **EYE CONTACT**

Immediately flush eyes with plenty of water for several minutes. Be sure to remove any contact lens. Get medical attention if irritations persist.

### SKIN CONTACT

Wash skin with soap and water. Quickly remove contaminated cloth or shoes. Obtain medical if irritation occurs.

### **INGESTION**

Do not induce vomiting, consult a physician immediately.

### **NOTES TO PHYSICIAN**

No specific treatment. Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING Water haze, Foam, Chemical powder.

**MEDIA:** 

UNSUITABILITY None

**EXTIGUISHING MEDIA:** 

HAZARDS DECOMPOSITION Decomposition products may include carbon dioxide.

PRODUCT(S): Normally combustion forms water vapor and may produce

carbon monoxide and other hydrocarbons. The products of

the burning are dangerous.

**SPECIAL PROTECTIVE** 

**EQUIPMENT:** 

Use personal protective equipment or self-contained

breathing apparatus (SCBA) when fighting fires in enclosed

areas or confined room.

### 6. ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS

Eliminate all sources of ignition in vicinity of spilled material. Wear appropriate personal protective equipment when cleaning up spills.

### **ENVIRONMENTAL PRECAUTIONS**

Avoid dispersal of split materials to natural waters, soil or sewers.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

### For more information and technical assistance contact:

PTT Global Chemical Public Company Limited

555/1, Energy Complex, Building A, 18<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Chatuchak, Bangkok 10900 TEL+66-2265-8400 Fax +66-2265-8500

บริษัท พีทีที โกลบอล เคมิคอล จำกัด (มหาชน)

ถนนวิภาว์ดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 555/1 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคารเอ ชั้น 1 โทร+66-2265-8400 โทรสาร +66-2265-8500



### **METHODS FOR CLEANING UP**

Sweep up or vacuum split materials and place in a designated, labeled waste container. Contact licensed waste disposal contractor to dispose.

# 7. HANDLING AND STORAGE **HANDLING**

Use good housekeeping for safe handling of the product. No smoking, drinking or eating in handling and store area. Avoid spilling the product, as this might cause falls. Potential toxic/irritating fumes may be evolved from heated material. Provide appropriate ventilation for such processing conditions. Take precautionary measures against explosion risks, as all types of polymers may develop dust during transporting or grinding of granules.

Protect from heat and direct sunlight in a dry, cool and well-ventilated area. Take precautionary measures to prevent the formation of static electricity. Do not store together with oxidizing and selfigniting products.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**EXPOSURE LIMITS** 

No exposure limits value known.

**EXPOSURE CONTROLS** 

**Respiratory Protection:** Product processing, heat sealing of film or operations involving the

> use of wires or blades heated above 300°C may produce dust, vapor or fumes. To minimize risk of overexposure to dust, vapor or fumes it is recommended that a local exhaust system is placed above the equipment, and that the working area is properly ventilated. If ventilation is inadequate, use certified respirator that will protect

against dust/mist.

Skin and Body Protection: Hot material: Wear heat-resistant protective gloves, clothing and

face shield able to withstand the temperature of the molten

Cold material: None required; however, use of gloves is good

industrial practice.

**Hand Protection:** Hot material: Wear heat-resistant protective gloves able to

withstand the temperature of the molten product.

Cold material: None required; however, use of gloves is good

industrial practice.

**Eyes Protection:** Safety glasses with side shields. Use dust goggles if high dust

concentration is generated.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Pellets • Appearance: Physical state: Solid • Color: Off-white • Odor: Paraffin-like Odor threshold: No data available

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

### For more information and technical assistance contact;

PTT Global Chemical Public Company Limited

555/1, Energy Complex, Building A, 18<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Chatuchak, Bangkok 10900 TEL+66-2265-8400 Fax +66-2265-8500

บริษัท พีทีที โกลบอล เคมิคอล จำกัด (มหาชน) 55/ท (ทุนเ่อนเนอร์ติคอมเพลิศต์ อาคารเอ ซัน 18 ถนนวิทาวดีรังสิด แขวงจดุจักร เขตจดุจักร กรุงเทพฯ 10900 โพร+66-2255-8400 โพรสาร +66-2255-8500



pH: Not applicable
Melting point: 125 to 138 °C
Boiling point Not applicable
Flash point: No data available
Evaporation rate: Not applicable

• Flammability (solid, gas): No

Upper/lower explosion limits:
 Vapor pressure:
 Vapor density
 Relative density:
 Density at 23°C
 Not applicable
 No data available
 0.945-0.970 g/cm3

• Solubility in water: Insoluble.

Partition coefficient, n-octane/water:
 Auto-ignition temperature:
 No data available
 350°C approx.

• Decomposed temperature (ASTM D3850): >300 °C

Viscosity, kinematic:
 Viscosity, dynamic:
 Not applicable
 No data available

• Explosive properties: High dust concentrations have a potential for

sparking or explosion

• Oxidizing properties: No

### 10. STABILITY AND REACTIVITY

**CHEMICAL STABILITY:** Stability; under normal conditions of storage and use.

**CONDITIONS TO AVOID:** Not applicable

**INCOMPATIBILITY MATERIALS:** Incompatibility; to avoid strong oxidizing agents such as

chlorates, nitrates, peroxides, etc.

**HAZARDOUS DECOMPOSITION:** Will not occur; under normal conditions of storage and use.

**PRODUCTS** 

### 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY** 

**LD50 oral, rat** No determined.

PRIMARY IRRITANT EFFECT

**Skin:** No irritant effect. **Eyes:** No irritant effect.

**Sensitization:** No sensitizing effect known.

ADDITIONAL TOXICOLOGICAL INFORMATION

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

# 12. ECOLOGICAL INFORMATION

### **TOXICITY**

The product is not toxic, small particles can have physical effects on water and soil organisms.

# PERSISTENCE AND DEGRADABILITY

This product is not biodegradable.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

Revision: Feb 2024 Page 1

### For more information and technical assistance contact;

PTT Global Chemical Public Company Limited

555/1, Energy Complex, Building A, 18<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Chatuchak, Bangkok 10900 TEL+66-2265-8400 Fax +66-2265-8500

บริษัท พีทีที โกลบอล เคมิคอล จำกัด (มหาชน)

555/1 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคารเอ ชั้น 1 โทร+66-2265-8400 โทรสาร +66-2265-8500 ถนนวิภาวดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900



### RESULTS OF PBT AND vPvB ASSESSMENT

: Not determined : Not determined • vPvB

OTHER ADVERSE EFFECTS

No know significant effects or critical hazards.

### 13. DISPOSAL CONSIDERATIONS

### WASTE TREATMENT METHODS

This resin is possible for recycling. Avoid contact of spilled material and runoff with soil and surface waterways. Consult an environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, and treatment, storage or disposal facilities. Dispose of in accordance with all applicable local and national regulations.

## 14. TRANSPORT INFORMATION

**UN-NUMBER:** 

• ADR, IMDG, IATA Not regulated

**UN PROPER SHIPPING NAME:** 

Not regulated • ADR, IMDG, IATA

TRANSPORT HAZARD CLASS (ES):

• ADR, IMDG, IATA

Not regulated Class

**PACKING GROUP:** 

Not regulated • ADR, IMDG, IATA

**ENVIRONMENTAL HAZARDS:** 

• Marine pollutant: No

SPRECIAL PRECAUTIONS FOR USER: Not applicable. TRANSPORT IN BULK: Not applicable.

• Transport/Additional information: Not dangerous according to the above specifications.

• UN "Model Regulation":

### 15. REGULATION INFORMATION

PACKAGING AND LABELLING: No special requirement.

**INVENTORIES:** Toxics Substances Control Act Inventory (TSCA).

> Australian Inventory (AICS). New Zealand Inventory (NZIoC).

Canada Inventory (DSL). China Inventory (IECS). EC Inventory (EINECS). Japan Inventory (ENCS). Korea Inventory (ECL).

Philippines Inventory (PICCS). Taiwan Inventory (NECI). Thailand Inventory (TECI).

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

# For more information and technical assistance contact:

PTT Global Chemical Public Company Limited

555/1, Energy Complex, Building A, 18<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Chatuchak, Bangkok 10900 TEL+66-2265-8400 Fax +66-2265-8500

บริษัท พีทีที โกลบอล เคมิคอล จำกัด (มหาชน)

555/1 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคารเอ ชั้น 1 โทร+66-2265-8400 โทรสาร +66-2265-8500 ถนนวิภาวดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900



### **DISCLAIMER:**

- This Applications specified herein is for reference only and not suitable for using in the manufacturing of any products in medical and pharmaceutical sectors.
- Determination of suitability of the product for the use and purpose shall be the customer's responsibility. Customer is obligated to inspect and test the product for such suitability. Customer is responsible for appropriate, safe, legal use processing and handling of the product.
- To our best knowledge, information contained herein is true and accurate as of the date of its publication. However, we make no representations or warranties with respect to accuracy, reliability and completeness of the information contained herein for any purpose.
- No warranties, express or implied, which extend beyond the description herein are given by us. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose.
- We assume no liability for any use of the product in combination with other materials. The information contained herein enti

## 16. OTHER INFORMATION

**HISTORY** 

Feb 2024 Date of Issue:

*Indicates information that has changed from previously issued version.* 

This Safety Data Sheet has been based upon data considered to be accurate at the time of its preparation. Despite our efforts, it may not be up to date or applicable to the circumstances of any particular case. We take no responsibility for inappropriate use, processing and handling by purchasers and uses of the product.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.