

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: PlastMate LL321RYP
CHEMICAL NAME: PE Mixture
TYPICAL APPLICATION: -
COMPANY NAME: PTT Global Chemical Public Company Limited
COMPANY ADDRESS: 555/1, Energy Complex, Building A, 18th Floor, Vibhavadi Rangsit Road, Chatuchak, Chatuchak, Bangkok 10900
PHONE NUMBER: +66-2-265-8400
FAX NUMBER: +66-2-265-8500
EMERGENCY PHONE: +66-2-265-8400

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

- Classification according to Globally Harmonized System (GHS):

The substance is not classified as hazardous according to GHS.

LABEL ELEMENTS

- | | |
|---|----------------|
| • Labelling according to GHS: | None |
| • Labelling according to Regulation (EC) No 1272/2008: | None |
| • Hazard pictograms: | None |
| • Signal word: | None |
| • Hazard statements: | None |
| • Precautionary statements: | |
| Prevention: | Not Applicable |
| Response: | Not Applicable |
| Storage: | Not Applicable |
| Disposal: | Not Applicable |
| • Additional information: | |
| Pellets on the floor may cause a serious slipping hazard. | |
| Skin or eye contact with hot polymer can cause thermal burns. | |
| Processing the polymer at high temperatures may form vapors that irritate the eyes and respiratory tract. | |

OTHER HAZARDS

If small particles are generated during further processing, handling, or by other means, combustible dust concentrations in air may form. See section 7 and 8 for additional.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS no.	Weight %
Polyethylene	9002-88-4	95
Additives	Trade Secret	<5

4. FIRST AID MEASURES

INHALATION

Remove to fresh air. If patient is not breathing or breathing irregular, provide artificial respiration or oxygen. Obtain medical attention by physician if symptoms persist.

EYE CONTACT

Immediately flush eyes with plenty of water for several minutes. Be sure to remove any contact lens. Get medical attention if irritations persist.

SKIN CONTACT

Wash skin with soap and water. Quickly remove contaminated cloth or shoes. Obtain medical if irritation occurs.

INGESTION

Do not induce vomiting, consult a physician immediately.

NOTES TO PHYSICIAN

No specific treatment. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

Water haze, Foam, Chemical powder, depending on surrounding conditions.

UNSUITABILITY EXTINGUISHING MEDIA:

Avoid using water jet on molten burning material.

HAZARDOUS DECOMPOSITION PRODUCT(S):

Decomposition products may include carbon dioxide. Normally combustion forms water vapor and may produce carbon monoxide and other hydrocarbons. The products of the burning are dangerous.

SPECIAL PROTECTIVE EQUIPMENT:

Use personal protective equipment or self-contained breathing apparatus (SCBA) when fighting fires in enclosed areas or confined room.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Eliminate all sources of ignition in vicinity of spilled material. Wear appropriate personal protective equipment when cleaning up spills.

ENVIRONMENTAL PRECAUTIONS

Avoid dispersal of split materials to natural waters, soil or sewers.

METHODS FOR CLEANING UP

Sweep up or vacuum split materials and place in a designated, labeled waste container. Contact licensed waste disposal contractor to dispose.

7. HANDLING AND STORAGE

HANDLING

Use good housekeeping for safe handling of the product. No smoking, drinking or eating in handling and store area. Avoid spilling the product, as this might cause falls. Potential toxic/irritating fumes may be evolved from heated material. Provide appropriate ventilation for such processing conditions. Take precautionary measures against explosion risks, as all types of polymers may develop dust during transporting or grinding of granules.

STORAGE

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.



Protect from heat and direct sunlight in a dry, cool and well-ventilated area. Take precautionary measures to prevent the formation of static electricity. Do not store together with oxidizing and self-igniting products.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS

No exposure limits value known.

EXPOSURE CONTROLS

Respiratory Protection:

Product processing, heat sealing of film or operations involving the use of wires or blades heated above 300°C may produce dust, vapor or fumes. To minimize risk of overexposure to dust, vapor or fumes it is recommended that a local exhaust system is placed above the equipment, and that the working area is properly ventilated. If ventilation is inadequate, use certified respirator that will protect against dust/mist.

Skin and Body Protection:

Hot material: Wear heat-resistant protective gloves, clothing and face shield able to withstand the temperature of the molten product.

Cold material: None required; however, use of gloves is good industrial practice.

Hand Protection:

Hot material: Wear heat-resistant protective gloves able to withstand the temperature of the molten product.

Cold material: None required; however, use of gloves is good industrial practice.

Eyes Protection:

Safety glasses with side shields. Use dust goggles if high dust concentration is generated.

9. PHYSICAL AND CHEMICAL PROPERTIES

• Appearance:	Powder
• Physical state:	Solid
• Color:	Slight Yellow
• Odor:	Characteristic odor
• Odor threshold:	No data available
• pH:	Not applicable
• Melting point:	120°C to 130°C
• Boiling point	Not applicable
• Flash point:	Not applicable
• Evaporation rate:	Not applicable
• Flammability (solid, gas):	No
• Upper/lower explosion limits:	Not applicable
• Vapor pressure:	Not applicable
• Vapor density	Not applicable
• Relative density:	No data available
• Density at 23°C	No data available
• Solubility in water:	Insoluble.
• Partition coefficient, n-octane/water:	No data available
• Auto-ignition temperature:	350°C approx.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

• Decomposed temperature (ASTM D3850):	No data available
• Viscosity, kinematic:	Not applicable
• Viscosity, dynamic:	No data available
• Explosive properties:	High dust concentrations have a potential for sparking or explosion
• Oxidizing properties:	No

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Stability; under normal conditions of storage and use.
CONDITIONS TO AVOID:	Good stability when kept away from heat.
INCOMPATIBILITY MATERIALS:	Incompatibility; to avoid strong oxidizing agents such as chlorates, nitrates, peroxides, etc and alkaline solution.
HAZARDOUS DECOMPOSITION PRODUCTS:	Will not occur; under normal conditions of storage and use.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

LD₅₀ oral, rat LD₅₀ > 8,000 mg/kg

PRIMARY IRRITANT EFFECT

Skin: No irritant effect. Molten polymer may cause thermal burns.

Eyes: Dust may cause eye irritation from mechanical abrasion.

Sensitization: No sensitizing effect known.

ADDITIONAL TOXICOLOGICAL INFORMATION

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12. ECOLOGICAL INFORMATION

TOXICITY

The product is not toxic, small particles can have physical effects on water and soil organisms.

PERSISTENCE AND DEGRADABILITY

This product is not biodegradable.

RESULTS OF PBT AND vPvB ASSESSMENT

• PBT	: Not determined
• vPvB	: Not determined

OTHER ADVERSE EFFECTS

No know significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

This resin is possible for recycling. Avoid contact of spilled material and runoff with soil and surface waterways. Consult an environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, and treatment, storage or disposal facilities. Dispose of in accordance with all applicable local and national regulations.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

14. TRANSPORT INFORMATION

UN-NUMBER:

• ADR, IMDG, IATA Not regulated

UN PROPER SHIPPING NAME:

• ADR, IMDG, IATA Not regulated

TRANSPORT HAZARD CLASS (ES):

• ADR, IMDG, IATA
• Class Not regulated

PACKING GROUP:

• ADR, IMDG, IATA Not regulated

ENVIRONMENTAL HAZARDS:

• Marine pollutant: No

SPECIAL PRECAUTIONS FOR USER: Not applicable.

TRANSPORT IN BULK: Not applicable.

• Transport/Additional information: Not dangerous according to the above specifications.

• UN "Model Regulation": -

15. REGULATION INFORMATION

PACKAGING AND LABELLING: No special requirement.

INVENTORIES: Toxics Substances Control Act Inventory (TSCA)

Australian Inventory (AICS).

Canada Inventory (DSL).

China Inventory (IECS).

EC Inventory (EINECS).

Japan Inventory (ENCS).

Korea Inventory (ECL).

16. OTHER INFORMATION

HISTORY

Date of Issue: June 2024

Revision: 1

Indicates information that has changed from previously issued version.

NOTICE

This Safety Data Sheet has been based upon data considered to be accurate at the time of its preparation. Despite our efforts, it may not be up to date or applicable to the circumstances of any particular case. We take no responsibility for inappropriate use, processing and handling by purchasers and users of the product.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability whatsoever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.



DISCLAIMER:

- This Applications specified herein is for reference only and not suitable for using in the manufacturing of any products in medical and pharmaceutical sectors.
- Determination of suitability of the product for the use and purpose shall be the customer's responsibility. Customer is obligated to inspect and test the product for such suitability. Customer is responsible for appropriate, safe, legal use processing and handling of the product.
- To our best knowledge, information contained herein is true and accurate as of the date of its publication. However, we make no representations or warranties with respect to accuracy, reliability and completeness of the information contained herein for any purpose.
- No warranties, express or implied, which extend beyond the description herein are given by us. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose.
- We assume no liability for any use of the product in combination with other materials. The information contained herein entirely relates to the product when it is not used in combination with any third party's materials.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.