

#### **บริษัท พีทีที่ โกลบอล เดมิดอล จำกัด (มหาชน)** 555/1 ตุษย์เอนเนอร์ติดอมเพล็กซ์ อาคารเอ ขึ้น 18 ถนบริภาวดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โทร<del>า66-2256-840</del>0 โทรสา + 66-2255-8500

# SAFETY DATA SHEET

# **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

InnoPlus LL9470UP
Linear Low Density Polyethylene
InnoPlus LL9470U and LL9470UP can be used to produce a general
molding in mild using condition and recommended for complex mold
and required high quality product surface.
PTT Global Chemical Public Company Limited
8 Padang Rd., Map Ta Phut, Muang Rayong District,
Rayong 21150, Thailand
Thailand; +66(0)-3897-6323
+66(0)-3897-6793

## **2. HAZARDS IDENTIFICATION**

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

• Classification according to Globally Harmonized System (GHS):

The substance is not classified as hazardous according to GHS.

• Classification according to Regulation (EC) No 1272/2008 (CLP):

The substance is not classified as hazardous according to the CLP regulation.

• Classification according to Directive 67/548/EEC or Directive 1999/45/EC:

The substance is not classified as hazardous according to Directive 67/548/EEC or Directive 1999/45/EC.

#### LABEL ELEMENTS

<ul> <li>Labelling according to GHS:</li> </ul>	None
<ul> <li>Labelling according to Regulation (EC) No 1272/2008:</li> </ul>	None
• Hazard pictograms:	None
• Signal word:	None
Hazard statements:	None
Precautionary statements :	
Prevention:	Not Applicable
Response:	Not Applicable
Storage:	Not Applicable
Disposal:	Not Applicable
Additional information.	

#### • Additional information:

Powder on the floor may cause a serious slipping hazard.

Skin or eye contact with hot polymer can cause thermal burns.

Processing the polymer at high temperatures may form vapors that irritate the eyes and respiratory tract.

#### **OTHER HAZARDS**

#### • Results of PBT and vPvB assessment

- PBT: Not determined
- vPvB: Not determined

#### 555/1 ศูนย์เอนเนอร์มีคอมเพล็กซ์ อาคารเอ ชั้น 18 ถนนวิภาวดีรังสิด แขวงจดุจักร เขตจดุจักร กรุงเทพฯ 10900 โทร+66-2265-8400 โทรสาร +66-2265-8500

บริษัท พีทีที โกลบอล เคมิคอล จำกัด (มหาชน)

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS no.	Weight %
Polyethylene	9002-88-4	>99
Additives	-	<1.0

## **4. FIRST AID MEASURES**

#### INHALATION

Remove to fresh air. If patient is not breathing or breathing irregular, provide artificial respiration or oxygen. Obtain medical attention by physician if symptoms persist.

#### **EYE CONTACT**

Immediately flush eyes with plenty of water for several minutes. Be sure to remove any contact lens. Get medical attention if irritations persist.

#### **SKIN CONTACT**

Wash skin with soap and water. Quickly remove contaminated cloth or shoes. Obtain medical if irritation occurs.

#### INGESTION

Do not induce vomiting, consult a physician immediately. **NOTES TO PHYSICIAN** No specific treatment. Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

SUITABLE EXTINGUISHING MEDIA :	Water haze, Foam, Chemical powder.
UNSUITABILITY	None
<b>EXTIGUISHING MEDIA :</b>	
HAZARDS DECOMPOSITION	Decomposition products may include carbon dioxide.
PRODUCT(S) :	Normally combustion forms water vapor and may produce carbon monoxide and other hydrocarbons. The products of the burning are dangerous.
SPECIAL PROTECTIVE	Use personal protective equipment or self-contained
EQUIPMENT :	breathing apparatus (SCBA) when fighting fires in enclosed areas or confined room.

## 6. ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS

Eliminate all sources of ignition in vicinity of spilled material. Wear appropriate personal protective equipment when cleaning up spills.

## **ENVIRONMENTAL PRECAUTIONS**

Avoid dispersal of split materials to natural waters, soil or sewers.

#### **METHODS FOR CLEANING UP**

**บริษัท พีทีที่ โกลบอล เคมิดอล จำกัด (มหาชน)** 555/1 ตุมน์เอนเนอย์ต้อมเพล็กซ์ อาจานอ ซัน 18 ถนนวิภาวดีรังสิด แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โพร+66-2255-8400 โทรสาร +66-225-5500



Sweep up or vacuum split materials and place in a designated, labeled waste container. Contact licensed waste disposal contractor to dispose.

## 7. HANDLING AND STORAGE

#### HANDLING

Use good housekeeping for safe handling of the product. No smoking

, drinking or eating in handling and store area. Avoid spilling the product, as this might cause falls. Potential toxic/irritating fumes may be evolved from heated material. Provide appropriate ventilation for such processing conditions. Take precautionary measures against explosion risks, as all types of polymers may develop dust during transporting or grinding of granules.

#### STORAGE

Protect from heat and direct sunlight in a dry, cool and well-ventilated area. Take precautionary measures to prevent the formation of static electricity. Do not store together with oxidizing and self-igniting products.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **EXPOSURE LIMITS**

No exposure limits value known.

## **EXPOSURE CONTROLS**

Respiratory Protection:	Product processing, heat sealing of film or operations involving the use of wires or blades heated above 300°C may produce dust, vapor or fumes. To minimize risk of overexposure to dust, vapor or fumes it is recommended that a local exhaust system is placed above the equipment, and that the working area is properly ventilated. If ventilation is inadequate, use certified respirator that will protect against dust/mist.
Skin and Body Protection:	Hot material: Wear heat-resistant protective gloves, clothing and face shield able to withstand the temperature of the molten product.
	Cold material: None required; however, use of gloves is good industrial practice.
Hand Protection:	Hot material: Wear heat-resistant protective gloves able to withstand the temperature of the molten product. Cold material: None required; however, use of gloves is good industrial practice.
Eyes Protection:	Safety glasses with side shields. Use dust goggles if high dust concentration is generated.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

• Appearance:	Powder
Physical state:	Solid
• Color:	Off-white
• Odor:	Paraffin-like
• Odor threshold:	No data available
• pH:	Not applicable

For more information and technical assistance contact; PTT Global Chemical Public Company Limited 555/1, Energy Complex, Building A, 18<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Chatuchak, Bangkok 10900 TEL+66-2265-8400 Fax +66-2265-8500

**บริษัท พีทีที่ โกลบอล เคมิคอล จำกัด (มหาชน)** 555/1 ตุมย์เอนเนอร์ปิดอมเพล็กซ์ อาคารเอ ขึ้น 18 ถนบวิภาวดีรังสิต แขวงจดุจักร เขตจดุจักร กรุงเทพฯ 10900 โพร+66-2265-8400 โทรสาร +66-2265-8500



- Melting point:
- Boiling point
- Flash point:
- Evaporation rate:
- Flammability (solid, gas):
- Upper/lower explosion limits:
- Vapor pressure:
- Vapor density
- Relative density:
- Density at 23°C
- Solubility in water:
- Partition coefficient, n-octane/water:
- Auto-ignition temperature:
- Decomposed temperature (ASTM D3850):
- Viscosity, kinematic:
- Viscosity, dynamic:
- Explosive properties:

• Oxidizing properties:

110 to 130 °C Not applicable No data available Not applicable No Not applicable Not applicable Not applicable No data available 0.916-0.940 g/cm3 Insoluble. No data available 350°C approx. >300 °C Not applicable No data available High dust concentrations have a potential for sparking or explosion No

## **10. STABILITY AND REACTIVITY**

CHEMICAL STABILITY:Stability; under normal conditions of storage and use.CONDITIONS TO AVOID:Not applicableINCOMPATIBILITY MATERIALS:Incompatibility; to avoid strong oxidizing agents such as

chlorates, nitrates, peroxides, etc.

**HAZARDOUS DECOMPOSITION:** Will not occur; under normal conditions of storage and use. **PRODUCTS** 

## **11. TOXICOLOGICAL INFORMATION**

ACUTE TOXICITYLD50 oral, ratNo determined.PRIMARY IRRITANT EFFECTSkin:No irritant effect.Eyes:No irritant effect.Sensitization:No sensitizing effect known.ADDITIONAL TOXICOLOGICAL INFORMATION

# When used and handled according to specifications, the product does not have any harmful effects

according to our experience and the information provided to us.

# **12. ECOLOGICAL INFORMATION**

## TOXICITY

The product is not toxic, small particles can have physical effects on water and soil organisms. **PERSISTENCE AND DEGRADABILITY** 

For more information and technical assistance contact; PTT Global Chemical Public Company Limited 55/1, Energy Complex, Building A, 18<sup>th</sup> Floor, Vibhavadi Rangsit Road, Chatuchak, Chatuchak, Bangkok 10900 TEL+66-2265-8400 Fax + 66-2265-8500

**บริษัท พีทีที่ โกอบอล เคมิดอล จำกัด (มหาชน)** 555/1 ตุนย์เอนเนอย์ตอมเพล็กซ์ อาคางเอ ซัน 18 ถนนวิภาวดีรังสิด แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โพร+66-2265-8400 โพสสา +66-2265-8500



#### This product is not biodegradable. **RESULTS OF PBT AND vPvB ASSESSMENT**

# • PBT : Not determined

: Not determined : Not determined

# • vPvB

**OTHER ADVERSE EFFECTS** 

No know significant effects or critical hazards.

#### **13. DISPOSAL CONSIDERATIONS** WASTE TREATMENT METHODS

This resin is possible for recycling. Avoid contact of spilled material and runoff with soil and surface waterways. Consult an environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, and treatment, storage or disposal facilities. Dispose of in accordance with all applicable local and national regulations.

## **14. TRANSPORT INFORMATION**

Not regulated
Not regulated
Not regulated
Not regulated
No
Not applicable.
Not applicable.
Not dangerous according to the above specifications.
-

## **15. REGULATION INFORMATION**

PACKAGING AND LABELLING: INVENTORIES: No special requirement. Toxics Substances Control Act Inventory (TSCA). Australian Inventory (AICS). New Zealand Inventory (NZIoC). Canada Inventory (DSL). China Inventory (IECS). EC Inventory (EINECS). Japan Inventory (ECL). Philippines Inventory (PICCS). Taiwan Inventory (NECI).

**บริษัท พีที่ที่ โกลบอล เคมิคอล จำกัด (มหาชน)** 555/1 สูนย์เอนเนอร์ย์คอมเพล็กซ์ อาคารเอ ชั่น 18 ถนนวิภาวดีรังสิด แขวงจดุจักร เขดจตุจักร กรุงเทพฯ 10900 โทร+66-2265-8400 โทรสาร +66-2265-8500



Thailand Inventory (TECI).

#### **DISCLAIMER:**

• This Applications specified herein is for reference only and not suitable for using in the manufacturing of any products in medical and pharmaceutical sectors.

• Determination of suitability of the product for the use and purpose shall be the customer's responsibility. Customer is obligated to inspect and test the product for such suitability. Customer is responsible for appropriate, safe, legal use processing and handling of the product.

• To our best knowledge, information contained herein is true and accurate as of the date of its publication. However, we make no representations or warranties with respect to accuracy, reliability and completeness of the information contained herein for any purpose.

• No warranties, express or implied, which extend beyond the description herein are given by us. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose.

• We assume no liability for any use of the product in combination with other materials. The information contained herein entirely relates to the product when it is not used in combination with any third party's materials.

## **16. OTHER INFORMATION**

#### HISTORY Date of Issue:

Feb 2024

Indicates information that has changed from previously issued version. **NOTICE** 

This Safety Data Sheet has been based upon data considered to be accurate at the time of its preparation. Despite our efforts, it may not be up to date or applicable to the circumstances of any particular case. We take no responsibility for inappropriate use, processing and handling by purchasers and uses of the product.